

# Simply sweeping

**HS 770** 

Compact manual sweeper for mediumsized surfaces in the home and in the business for inside and outdoor areas. Unlimited use on all floors. Side and main brooms are adjustable. Robust construction for long life.

### Art. 077.000



Technical data:	
Dirt container	32 liters
Working width	77 cm
Roller brush	adjustable
Side brush	adjustable
Weight	18 kg
Measurements I/w/h	132/80/88 cm (with handle)

Complete including		
077.740	Side brush	
077.270	Main sweeping roll	

### **KS 650 IBC**

Whether inside or out, the hand-guided vacuum sweeper KS650 IBC removes dirt and dust from all hard floors. It can also clean carpets with the carpet set. The machine is very manoeuvrable, easy to push thanks to its traction drive and highly efficient with a cleaning speed of  $5 \, \text{km/h}$ . The overhead projection principle ensures that the dirt container is filled optimally. Because the KS650 IBC is battery-operated and fitted with an onboard charger it gives off no harmful emissions.

Complete including



Easy removal of dirt

Art. 065.000







Technical data:	
Total power	750 W / 12 V
Dirt container volume	35 litre
Dirt container weight	25 kg
Traction drive	Continuously variable
Weight incl. battery	122 kg
Productivity rate theoretical	
with side brush	3525 m <sup>2</sup> /h
without side brush	2525 m <sup>2</sup> /h
Working width	
with side brush	71 cm
Speed	5,0 km / h
Dimoneione L / /// / H	110 / 71 / 72 om

Complete	moraumg	
065.193	Side brush for indoor use	
065.199	Onboard charger	
065.142	Discharge signal indicator	
065.171	Main sweeping roll	
Optional A	Accessories	
066,091	Gel battery 12 V / 76 Ah (C5)	
065.190	Side brush for outdoor use	
065.010	Carpet set	
	Deflector wheel	
	Fibrous sieve	
	Fender guide rail	
	Bail complete	
	Microswitch with cable	

Various, screw nuts and cable binder



Battery and onboard charger display including excessive discharge protection.



Lever for raising / lowering side brush.

# **Efficient sweeping**

KS 1100 B

This compact and robust ride-on sweeper is made for medium and large areas, especially indoor. The KS 1100 represents simplicity and robustness in its most sophisticated form. The KS 1100 is small enough to fit into an elevator, and is maneuverable enough to reach the tight corners. The large filter, a large flap and the climbing rate over 20% are other strong points of the KS 1100.

080.499

Main brush

Art. 080.000

Technical data:	
Working width with	
side brushes	110 cm
Working width	
without side brushes	70 cm
Ø side brushes	44 cm
Sweeping principle	Overthrow
Hopper	60 Liter
Filter material	Polyester
Filter area	3,9 m <sup>2</sup>
Filter cleaning	electrical
	filter shaker
Turning circle	< 230 cm
Motor power surce battery	24V 180Ah
Dimensions (L x W x H)	1550/1000/
	1220 mm
Weight without batteries	240kg
Speed	0 - 7,2  km/h
Running hours	4,5 h
Productivity rate theoretical	ca. $8000 \text{ m}^2/\text{h}$
Max, climbing rate (%)	20
Side brushes	2

	Complete incl.:	
	080,501	Main brush standard, Ø 70 cm
10 cm	080.059	Side brush standard, Ø 44 cm (2 pieces needed)
	080,222	Filter kompl.
0 cm		
4 cm	Special ac	ccessories:
verthrow	701.091	4 Gel battery Dryfit à 6 V / 180 Ah (244 x 190 x 275 mm)
0 Liter	710.655	Gel battery charger 24 V / 25 A
olyester	080.130	Reflector Kit
,9 m²	080.136	Light bulb 24 V
lectrical		
Iter shaker	Outside u	se only:
: 230 cm	080.060	Side brush with add. steal bristels
4V 180Ah	080.504	Main brush
550/1000/		
220 mm	Inside use only:	
40kg	080.061	Side brush soft
-7,2 km/h	080.498	Main brush soft
.5 h		
a. 8000 m²/h	In- and ou	itside use
0	080.059	Side brush standard

080.925	Kit for street legal, without assembling:
	Warning light yellow
	Breakdown triangle with holder
	Licence tag holder
	Tag speed limit < 10 km/h
	Reflector



Clear and convenient operating console



Large hopper



Easy to change the brushes



The filters can be changed without tools.



Incide



ergonomic seat



Sidebrush



Mainbrush





# **Efficient sweeping**

KS 1100 B HD with high emptying

Same machine like KS1100 B with high emptying.

Art. 080.010





Technical data:	
Working width with	
side brushes	110 cm
Working width	
without side brushes	70 cm
Ø side brushes	44 cm
Sweeping principle	Overthrow
Hopper	60 Liter
Filter material	Polyester
Filter area	3,9 m <sup>2</sup>
Filter cleaning	electrical
	filter shaker
Turning circle	< 230 cm
Motor power surce battery	24V 180Ah
Dimensions (L x W x H)	1550/1000/
	1220 mm
Weight without batteries	240 kg
Speed	0 - 7,2  km/h
Running hours	4,5 h
Productivity rate theoretical	$ca.8000\;m^2/h$
Max. climbing rate (%)	20
Side brushes	2



080.501	Main brush standard, Ø 70 cm
080.059	Side brush standard, Ø 44 cm (2 pieces needed)
080.222	Filter kompl.



65301163.
4 Gel battery Dryfit à 6 V / 180 Ah (244 x 190 x 275 mm)
Gel battery charger 24 V / 25 A
Reflector Kit
Light bulb 24 V



080.060	Side brush with add, steal bristels
080,504	Main brush

### Inside use only:

080.061 Side brush soft   080.498 Main brush soft			
080.498 Main brush soft	080.061	Side brush soft	
	080.498	Main brush soft	

#### In- and outside use

080.059	Side brush standard
080.499	Main brush

### Accessories for street leagel

080.925	Kit for street legal, without assembling:
	Warning light yellow
	Breakdown triangle with holder
	Licence tag holder
	Tag speed limit < 10 km/h
	Reflector



Clear and convenient operating console



Large hopper



Easy to change the



The filters can be changed without tools.



Insid



Adjustable ergonomic seat



Sidebrush



Mainbrush

